Nurse and Holistic Care, Vol. 2, No 2, August 2022

www.journal2.unusa.ac.id/index.php/nhc

Original Articles

SUNBATHING FOR IMPROVING THE SLEEP QUALITY OF THE ELDERLY

Devin Prihar Ninuk^{1*}, Arif Wijanarko¹, Nasrudin Nasrudin¹ ¹Faculty of Health Science, Universitas Pesantren Tinggi Darul Ulum, Jombang

Abstract

Article history: Received: December, 08, 2022 Accepted: January,05, 2023

Correspondence: Devin Prihar Ninuk Faculty of Health Science, Universitas Pesantren Tinggi Darul Ulum, Jombang Email: devinpriharninuk@fik.unipdu.ac.id

Keywords: Sunbathing, Elderly, Sleep Quality

Page Number: 77-83

INTRODUCTION

Rest and sleep are basic needs that must be met by everyone. Normal sleep involves two phases, namely rapid eye movement (REM) and sleep with slow eye movement or non-rapid eye movement (NREM). During NREM, a person experiences 4 stages during the sleep cycle. Stages 1 and 2 are characterized by deep sleep and individual will be difficult to be awakened (Perry & Potter, 2005).

Sleep changes related to the aging process such as increased sleep latency, reduced sleep efficiency, earlier awakening, reduced stages of deep sleep and circadian rhythm disturbances, and increased naps that affect the sleep's quality. The amount of time spent in deeper sleep decreased. The elderly report frequent naps and have difficulty falling asleep and staying asleep (Oliviera, A., 2012).

In 2021, the percentage of the elderly population in Indonesia was around 10.82% of the total population. This number is projected to increase to 21.4% of the total population in 2050, which are approximately 80 million people. Complaints of difficulty sleeping are often considered by society as a physiological process that usually occurs in old age (Bellakusuma & Yosef, 2016). The preliminary study conducted in Mojokerto were involving 16 elderly. It showed that 90% of the 16 elderly have sleep disturbance such as the difficulty to sleep, waking up at night, and being sleepy during the day.

Background: Sleep changes is associated with the aging process. The elderly reported that they often had difficulty in falling and staying asleep **Objective:** This study purposed to determine the effect of sunbathing on improving the elderly's sleep quality in Werda Nursing Home.

Methods: A quasi-experimental was conducted with one group pre-posttest design. The population was 42 elderly in Werda Nursing Home. The sample was 38 respondents taken by quota sampling technique. The modified PSQI was used to collect data. Statistical analysis was using Mann Whitney showed a p-value of 0,000 smaller than α 0.05.

Result: The study results showed that frequency of pre-test data before treatment obtained a mean of 7.06, in the post-test after being given treatment for 2 weeks, the mean obtained was 4.04.

Conclusion: Sunbathing affected the elderly's sleep quality. The sunlight had a double impact in enhancing melatonin through the retinohypothalamic duct and SCN and stimulating the nocturnal melatonin phase by rearranging the pacemaker.

Mead (2008) argues that when people are exposed to sunlight or bright artificial light in the morning, melatonin production at night will occur more quickly, and will make sleeping easier at night.

Some elderly likes to take melatonin hormone-boosting supplements to get a good night's sleep. The use of supplements in a long term and large quantities are still questioned. Therefore, sunlight is still considered as the safest and most efficacious therapy. Thus, this study tries to gain the importance of sunlight in improving the sleep quality of the elderly.

METHODS

Study Design

In this study, the researcher used Quasy-Experimental type Non-Randomized One Group Pra-Post Test Design.

Settings

The research was conducted in the Mojokerto Nursing Home on May 2021.

Research subject

The population was all elderly people in the Mojokerto Nursing Home as many as 42 persons. There were 30 elderly who experienced poor sleep quality, as a sample.

Instruments

The research instrument used in data collection was the PSQI questionnaire. This questionnaire was to determine the sleep quality in the elderly.

Data collection

Data collection was carried out by administering questionnaires and explaining the methods, objectives, benefits, and research inclusion criteria to be studied to respondents. The research instruments that have been filled in were then collected, and the completeness of the filling was checked. The data collection results were then processed and analyzed.

Intervention

The elderly will be given a pre-test related to sleep quality, and then they will be given treatment by sunbathing every 30 minutes, at 11.00-11.30 for two weeks. After two weeks of treatment, the elderly will be re-evaluated regarding their sleep quality

Data Analysis

Data were tabulated using the Mann-Whitney U test with a significance level of $\alpha < 0.05$.

Ethical Consideration

The implementation of this research has received approval from the Head of Mojokerto Nursing Homes. The ethics exam was carried out at the Faculty of Health Sciences, Unipdu Jombang.

RESULTS

Characteristics of Respondents based on General Data at the Mojokerto Nursing Home

Table 1	. Characteristics of Respondents Frequency based on General Data at Mojokerto Nur	sing Home
	in May 2021.	

Characteristics	Treatment Group		
	Frequency	Percentage	
Gender			
Male	4	13.3	
Female	26	86.7	
Age			
60-74 years	14	46.7	
75-89 years	10	33.3	
>90 years	6	20.0	
Education			
Uneducated	12	40.0	
Elementary School	15	50.0	
Junior High School	1	3.3	
College	2	6.7	
Diseases			
Hypertension	10	33.3	
Asthma	1	3.3	
Stroke	3	10.0	
Rheumatism	9	30.0	
etc.	7	23.7	

Sources: Primary Data, 2021.

Table 2. Characteristics of Respondents based on Pre and Post-Test of the Sleep Quality in theTreatment Group at the Mojokerto Nursing Home on May 2021.

Sleep Quality	Mean	Median	Std. Deviation
Pre-test before treatment	7.06	7.00	1.480
Post-test after treatment	4.04	4.00	0.793
Sources: Primary Data, 2021.			

Based on table 2, it shows that the frequency of pre-test data before treatment obtained a mean of 7.06, in the post-test after being given treatment for 2 weeks, the mean obtained was 4.04. This

proved that there was an increase in sleep quality between before and after treatment, while for the median before treatment, a value of 7.00 was obtained, and after two weeks of treatment, a median value of 4.00 was obtained. Therefore, the pre-test data frequency results before treatment obtained a standard deviation value of 1.480, and after the respondent was given therapy for two weeks of therapy, a standard deviation value of 0.793 was obtained, this proved that there was an increase between before and after being given treatment.

DISCUSSION

According to this study, sunbathing can affect the sleep quality of the elderly at night. If we look at the environment around the elderly; their room certainly has ventilation but still covered with mosquito nets. So that the exposure of the elderly to light will be less.

Therefore, the elderly is treated with sunbathing because repeated exposure to sunlight during the day is effective in controlling the circadian phase and increasing the melatonin at night. This study results were strengthened by the study of Takasu, Nana N, and Satoko Hashimoto's (2016). The result explained that repeated exposure to bright light during the day increased the melatonin at night and maintained the circadian phase under a fixed sleep schedule. The effects of two different light intensities during the day were examined on human circadian rhythms. Sleep quality as indicated by polysomnography and subjective sleepiness was also measured. In the first week, under low light conditions (10 lx), the onset and peak of the nocturnal melatonin rise were significantly delayed, whereas the end of the melatonin rise was unchanged. Peak melatonin levels are not affected. As a result, the width of the nocturnal melatonin rise is significantly shortened. In the second week, under bright light conditions (5,000 lx), the phase of nocturnal melatonin rise did not change any further, but peak levels increased significantly. The core temperature of the body in the early sleep phase increases during the dim light exposure and reaches its maximum level on the first night of bright light conditions. Subjective sleepiness gradually decreases in the course of exposure to dim light and reaches a minimum level on the first day of bright light. These findings suggest that repeated exposure to bright daylight is effective in controlling the circadian phase and increasing nocturnal melatonin and suggests a close correlation between phases shifts-delaying the onset of nocturnal melatonin increases or body temperature rhythms and daytime sleepiness. The results of this study were also strengthened by the results of a study (Mishima et al, 2001). Older people exposed to much less ambient light and simultaneously suffered significantly reduced nocturnal melatonin secretion. Additional exposure to four hours (10.00 to 12.00 hours, 14.00 to 16.00 hours) of bright midday light in the elderly group significantly increased melatonin secretion to levels similar to those in the young control group without circadian phase-shifting. There is a tendency for the magnitude of the increase in nocturnal melatonin secretion stimulated by a bright light to parallel improvement in sleep disturbance in these subjects. These findings suggest that we need to look at older people who suffer under poor environmental light conditions that result in irregular circadian rhythms, including sleep-wake cycles.

LIMITATION

There is no limitation.

CONCLUSION

Based on the study results, it can be informed that all respondent in the control and treatment groups has poor sleep quality. After the sunbathing treatment, the treatment group is showing an increase in their sleep quality than those in the control group. So, it can be concluded that sunbathing affects the increasing of elderly's sleep quality. Therefore, sunbathing can be recommended as one of the non-pharmacological therapy to improve sleep quality in elderly. The study results can be an additional source of literature in the health sector, especially regarding non-pharmacological therapies for sunbathing to improve sleep quality or reduce sleep disturbance needs.

AUTHOR CONTRIBUTION

Devin Prihar Ninuk: Conceptualization, methodology, writing-original draft validation, and formal analysis.

Arif Wijanarko: Writing-review and editing, supervision, visualization, project administration, and software.

Nasrudin Nasrudin: Investigation, resources, data duration and funding acquisition.

ORCHID

Devin Prihar Ninuk	: None.
Arif Wijanarko	: None.
Nasrudin Nasrudin	: None.

CONFLICT OF INTEREST

There is no conflict of interest this research.

ACKNOWLEDGEMENT

Our gratitude goes to all those who helped in the preparation of this research, especially to the research respondents.

REFERENCE

Amelia, L. (2018). Pengaruh Paparan Sinar Ultraviolet C terhadap Gambaran Histologi Hepatosit pada Mencit (Musmusculus, L). Yogyakarta: Fakultas Kedokteran Universitas Muhammadiyah Yogyakarta.

Azizah, L. M. (2019). Keperawatan Lanjut Usia. Yogyakarta: Graha Ilmu.

- Chuch, K.-S. (2019). Poor Sleep Quality and School Use Problem among Elderly Taiwanese Aboriginal Women. *International Psychogeriatrcis*, 21:3, 593-599.
- Dewald, Julia F et al. (2020). The Influence of Sleep Quality, Sleep Duration and Sleepiness on School Performance in Children and Adolescents: A meta-analytic Review. *Journal of Sleep Medicine Reviews*. 14:179-189. Elsevier.
- Gustimigo, Zelta P. (2015). Kualitas Tidur Penderita Diabetes Mellitus. *Moajority*, Vol.4, No.8 Fakultas Kedokteran, Universitas Lampung.
- Haines, C. (2015). Sleep Disorder: sleep and depression. The National Sleep Foundation Jurnal.
- Khusnul Khasanah, Wahyu Hidayati. (2020). Kualitas Tidur Lansia Balai Rehabilitasi Sosial "MANDIRI" Semarang. *Jurnal Nursing Studies*, 2.
- Kozier Barbara. (2010). Buku Ajar Fundamental Keperawatan, Konsep, Proses & Praktik Vol 2 edisi 7. Jakarta: EGC.
- Lam, W. M. (1977). *Perception and Lighting as Fromgives for Architecture*. New York: McGraw-Hill Book Company.
- Mass, L. Meridean. (2011). *Asuhan Keperawatan Geriatrik*: Diagnosis NANDA, Kriteria Hasil NOC, & Intervensi NIC. Jakarta: EGC.
- M Nathaniel Mead. (2018). *Benefit of Sunlight: A Bright Spot for Human Health*. Public Health Database.
- Mickey Stanley, Patricia Gauntlet Beare. (2006). *Buku Ajar Keperawatan Gerontik Edisi 2*. Jakarta: EGC.
- Notoadmodjo, S. (2010). Metedologi Penelitian Kesehatan. Jakarta: Rineka Cipta.
- Notoadmodjo, S. (2012). Metedologi Penelitian Kesehatan. Jakarta: Rineka Cipta.
- Nurdianningrum, Bellakusuma., Porwoko, Yosef. (2016). Pengaruh Senam Lansia Terhadap Kualitas Tidur Pada Lansia. *Jurnal Kedokteran Dipenogoro*. 2.
- Nursalam. (2013). Metode Penelitian Ilmu Keperawatan. Jakarta: Salemba Medika.
- Padila. (2013). Buku Ajar Keprawatan Gerontik. Yogyakarta: Nuha Medika
- Perry, A.G. & Potter, P.A. (2005). Buku Ajar Fundamental Keperawatan: Konsep, Proses, dan Praktik (volume 2) (edisi 4). Jakarta: EGC.
- Priyoto, S, Ns. (2015). NIC Dalam Keperawatan Gerontik. Jakarta Selatan: Salemba Medika.
- Prasadja, D. A. (2019). *Ayo Bangun Dengan Bugar Kaena Tidur Yang Benar*. Jakarta Selatan: PT Mizan Publika.
- Simonson, Bergeron, Cracelius, Maguire, Osterweil, Spivack, Stwalley, dan Zee. (2017). Improving Sleep Management in elderly: a guide to the manaement of insomnia in long-term care. Annals of long-term care: clinical care and aging.
- Soebaryo, R. d. (2017). Fotobiologi, Dalam Adhi Djuanda, Mohtar Hamzah, Siti Aisah. Ilmu Penyakit dan Kelamin Edisi Ke-5. Jakarta: Balai Penerbit FK UI.

Sugiyono. (2015). Metode Penelitian Pendidikan. Bandung: Alfabeta.

- Sunaryo, Wijayanti, r., Kuhu, m. m., Sumedi, t., Widayanti, e. d., Sukrillah, u. a., . . . kuswati, a. (2016). *Asuhan Keperawatan Gerontik*. Yogyakarta: CV. Andi Offset.
- Takasu NN, Hashimoto S, Yamanaka Y, Tanahashi Y, Yamazaki A, Honma S, Honma K. (2016). Repeated exposures to daytime bright light increase nocturnal melatonin rise and maintain circadian phase in young subjects under fixed sleep schedule. *Am J Physiol Regul Integr Comp Physiol*, 291(6): R1799-807.
- Theekem. (2017). Manfaat Energi Cahaya Matahari Untuk Kesehatan Tubuh Manusia.
- The IESNA Lighting Handbook, Ninth Edition. (2020). USA: Illuminationing Engineering Society of North America.
- Veitch, J. (2021). A Critical Examination of Perceptual and Cognitive Effects Attribute to Full Spectrum Fluorescent Lighting. Ergonomics.

Vitello, M. V. (2016). Sleep in Normal Aging. Sleep Medicine Clinic. 171-176.